

**Amendments to the Claims:**

Listing of Claims - The following listing of claims is to replace all previous listing of claims.

- 1        1.        (Currently Amended) A method of utilizing a push model to provide access to a message  
2                list in one or more of a voice, a fax, an e-mail and a unified mailbox through a wireless  
3                network, the method comprising the steps of:  
4                    a.        determining if an updated mailbox content list is to be transmitted by a  
5                                server to a wireless device, wherein the server independently determines if  
6                                and when to transmit the updated mailbox content list, further wherein the  
7                                updated mailbox content list comprises a list of stored messages with  
8                                multiple different message formats;  
9                    b.        forming a first communication link through a wireless network between  
10                                the server and the wireless device;  
11                    c.        transmitting the updated mailbox content list from the server to the  
12                                wireless device over the first communication link;  
13                    d.        automatically receiving the updated mailbox content list by the wireless  
14                                device from the server through the first communication link;  
15                    e.        disconnecting the first communication link after the wireless device  
16                                receives the updated mailbox content list;  
17                    f.        scrolling through the updated mailbox content list and selecting a message  
18                                therefrom with the wireless device;  
19                    g.        forming a second communication link through the wireless network  
20                                thereby linking the wireless device and the server;  
21                    h.        selectively receiving the message on the wireless device from the server  
22                                over the second communication link; and  
23                    i.        providing the message to a user of the wireless device.
  
- 1        2.        (Original)        The method of Claim 1 further comprising a new message notification,  
2                including the updated content list.

1        3.        (Original)        The method of Claim 1 wherein the wireless network has a low data-  
2                   bandwidth and a high data-latency.

1        4.        (Original)        The method of Claim 1 further comprising the step of the user scrolling  
2                   through the updated mailbox content list without accessing the wireless network.

1        5.        (Previously Presented) The method of Claim 1 further comprising the step of the user  
2                   issuing a command using the wireless device.

1        6.        (Original)        The method of Claim 1 further comprising the step of the server playing  
2                   the message according to a command given by the user.

1        7.        (Currently Amended) A system for providing access to a message list in one or more of a  
2                   voice, a fax, an e-mail and a unified mailbox through a wireless network comprising:  
3                   a.        a wireless device;  
4                   b.        a server; and  
5                   c.        a wireless network linking the wireless device with the server such that in  
6                   operation the server determines if and when an updated mailbox content list is  
7                   sent by the server to the wireless device, wherein the updated mailbox content list  
8                   comprises a list of stored messages with multiple different message formats, a  
9                   first communication link is formed between the server and the wireless device, the  
10                  updated mailbox content list is automatically sent over the first communication  
11                  link from the server to the wireless device, the first communication link is  
12                  disconnected after the wireless device receives the updated mailbox content list, a  
13                  message from the updated mailbox content list received by the wireless device is  
14                  selected using the wireless device, a second communication link between the  
15                  wireless device and the server is formed over the wireless network, and the  
16                  selected message is sent to the wireless device over the second communication  
17                  link.

1        8.        (Original)        The system of Claim 7 wherein the wireless network has a low data  
2                   bandwidth and a high data latency.

- 1      9.      (Previously Presented)      The system of Claim 7 wherein the updated mailbox  
2      content list includes a new message notification.
- 1      10.     (Previously Presented)      The system of Claim 9 wherein after being sent by the  
2      server, the new message notification and the updated content list can be viewed by a user  
3      with the wireless device.
- 1      11.     (Previously Presented)      The system of Claim 10 wherein the user may scroll  
2      through the updated mailbox content list with the wireless device.
- 1      12.     (Previously Presented)      The system of Claim 7 wherein a user selects the message  
2      by issuing a command to the server.
- 1      13.     (Previously Presented)      The system of Claim 12 wherein the server delivers the  
2      message selected by the user and the message is played for the user by the wireless  
3      device.
- 1      14.     (Currently Amended) A method of providing access to a message list in one or more of a  
2      voice, a fax, an e-mail or a unified mailbox through a wireless network, the method  
3      comprising the steps of:  
4      a.      determining if a new message notification and an updated mailbox content list are  
5      to be transmitted by a server to a wireless device, wherein the server  
6      independently determines if and when to transmit the new message notification  
7      and the updated mailbox content list, further wherein the updated mailbox content  
8      list comprises a list of stored messages with multiple different message formats;  
9      b.      forming a first communication link through a wireless network between the server  
10     and the wireless device;  
11     c.      transmitting the new message notification and the updated mailbox content list  
12     from the server to the wireless device over the first communication link;  
13     d.      automatically receiving through the wireless network the new message  
14     notification and the updated mailbox content list from the server;  
15     e.      disconnecting the first communication link after the wireless device receives the  
16     new message notification and the updated mailbox content list;

- 17 f. remotely scrolling through the updated mailbox content list and selecting a  
18 message therefrom using the wireless device;  
19 g. forming a second communication link between the wireless device and the server;  
20 and  
21 h. receiving the message on the wireless device from the server over the second  
22 communication link and presenting the message.

1 15. (Original) The method of Claim 14 wherein the wireless network has a low data-  
2 bandwidth and a high data-latency.

1 16. (Original) The method of Claim 14 further comprising the step of a user scrolling  
2 through the updated mailbox content list without accessing the data network.

1 17. (Previously Presented) The method of Claim 14 further comprising the step of a  
2 user issuing a command using the wireless device.

1 18. (Original) The method of Claim 14 further comprising the step of the server playing  
2 the message according to a command given by the user.

1 19. (Currently Amended) A system for providing access to a message list in one or more of a  
2 voice, a fax or a unified mailbox through a wireless network, the system comprising:

- 3 a. means for determining if an updated mailbox content list is to be transmitted by a  
4 server to a wireless device, wherein the server independently determines if and  
5 when to transmit the updated mailbox content list, further wherein the updated  
6 mailbox content list comprises a list of stored messages with multiple different  
7 message formats;  
8 b. means for forming a first communication link through a wireless network between  
9 the server and the wireless device;  
10 c. means for transmitting the updated mailbox content list from the server to the  
11 wireless device over the first communication link;  
12 d. means for automatically receiving the updated mailbox content list by the wireless  
13 device from the server through the first communication link;

- 14 e. means for disconnecting the first communication link after the wireless device  
15 receives the updated mailbox content list;  
16 f. means for scrolling through the updated mailbox content list and selecting a  
17 message therefrom with the wireless device;  
18 g. means for forming a second communication link through the wireless network  
19 thereby linking the wireless device and the server;  
20 h. means for selectively receiving the message on the wireless device from the server  
21 over the second communication link; and  
22 i. means for providing the message to a user of the wireless device.

1 20. (Original) The system of Claim 19 wherein a new message notification includes the  
2 updated mailbox content list.

1 21. (Original) The system of Claim 19 wherein the wireless network has a low  
2 bandwidth and a high latency.

1 22. (Original) The system of Claim 19 wherein the user scrolls through the updated  
2 mailbox content list without accessing the wireless network.

1 23. (Original) The system of Claim 19 wherein the user issues a command using the  
2 wireless device.

1 24. (Previously Presented) The system of Claim 19 wherein the server plays the  
2 message according to a command given by the user.